



# Application Bulletin 3620

## Robotic Sealant Applicator

Ideal for applications requiring accurate sealant bead placement and fills using two part meter / mixing systems.


### No External Controller Required

The on board processor includes a built in digital metering head controller and a Compact Flash card to store all your paths and files. No PC is required for operation!

### True Dispensing Software

Pre defined fills, dots and patterns along with the ability to import DXF, PLT & G-Code files makes setup and any editing of the motion path a snap.

An advanced Jog & Teach function is also included to allow recording the dispense path with the machine.




The Popular RG-2620 Dispensing System  
Tooled with dual 2 part meter mix heads

## Pressure Files

The machine is available with a programmable pressure file function. This allows software control of air pressure to the tank, syringe, valve, etc directly with the program.

The Pressure File may be set as a graph to address the material curing properties over (absolute) time.

Expiration time may also be defined to disable the system and force a material reload. All functions are displayed to the operator on the LCD display.



```

Epoxy.JOB      0%
Loaded 00:00 0004
00:20 Left 15psi
X 6.250 Y 1.352 Z 2.200
  
```

```

Epoxy.JOB      0%
Loaded 00:00 0004
MAXIMUM TIME EXPIRED
X 6.250 Y 1.352 Z 2.200
  
```

```

Maximum Time Expired
Refill Material
Then Press ENTER
or HOME to override
  
```